



la meccanica
Technology & Creativity at your Service

CLM 520 180HP


PELLET
MILL

Feeds



PELLET MILL CLM 520 180hp

PELLET MILL	PRESSE A GRANULAIRE	PRESSA CUBETTATRICE	PRENSA GRANULADORA	CLM 520 180HP			
Screw feeder	Vis d'alimentation	Coclea di alimentazione	Còclea de alimentaciòn	C180			
Diameter	Diamètre	Diámetro	Diámetro	mm	180	in	7,09
Motor power	Puissance	Potenza	Potencia motor	kW	2,2	hp	3,0
Speed	Vitesse	Velocità	Velocidad	0-158 rpm			
Conditioner	Conditionneur	Condizionatore	Acondicionator	M 400.2310			
Diameter	Diamètre	Diámetro	Diámetro	mm	400	in	15,7
Lenght	Longeur	Lunghezza	Longitud	mm	2310	in	90,9
Volum	Volume	Volume	Volumen	dm³	290,1	ft³	10,2
Motor power	Puissance	Potenza	Potencia motor	kW	9	hp	12,5
Pellet mill Bloc	Bloc Presse	Blocco Pressa	Bloque prensa	CLM 520 180HP			
Main motor power	Puissance moteur principal	Potenza motore principale	Motor Principal	kW		hp	
Main pulley	Poulie conduit	Puleggia cond.	Polea principal	mm	110	in	132
Die speed	Vitesse filiere	Velocità filiera	Velocidad matriz	m/sec	6,0	ft/sec	150
Belts	Courroies	Cinghie	Correas	m/sec	7,5	ft/sec	180
Die	Filiere	Trafila	Matriz	n.15 belts type 5V-1600			
Inner diameter	Diamètre int.	Diámetro interno	Diámetro int.	Die Lamec 520.138			
Working width	Bande de travail	Larghezza utile	Anchura de trabajo	mm	520	in	20,47
Total width	Largeur totale	Larghezza totale	Anchura total	mm	138	in	5,43
Working surface	Surface de travail	Superficie utile	Superficie útil	dm²	182	in²	7,17
Die	Filiere	Trafila	Matriz	Die Lamec 520.170			
Inner diameter	Diamètre int.	Diámetro interno	Diámetro int.	mm	22,53	in²	349,3
Working width	Bande de travail	Larghezza utile	Anchura de trabajo	mm	520	in	20,47
Total width	Largeur totale	Larghezza totale	Anchura total	mm	170	in	6,69
Working surface	Surface de travail	Superficie utile	Superficie útil	dm²	214	in²	8,43
Roll type	Galets	Rulli tipo	Rodillos	Rolls Lamec 520.138 & Lamec 520.170			
N. rolls	N. de galets	N. rulli	N. rodillos	2			
Diameter	Diamètre	Diámetro	Diámetro	mm	250	in	9,84
WEIGHTS	POIDS	PESI	PESOS				
Bloc press	Bloc press	Blocco pressa	Peso del bloque				
Without main motor	Sans moteur principal	Motore principale escluso	Sin el motor principal	kg	2.719	lb	5.993
With main motor	Avec moteur principal	Motore principale incluso	Con el motor principal	kg	3.669	lb	8.086
Screw feeder and conditioner	Vis d'alimentation et conditionneur	Coclea di alimentazione e condizionatore	Peso del alimentador y del acondicionador	kg	806	lb	1.776
Total Weight	Poids Total	Peso totale	Peso total				
Main motor excluded	Moteur principal exclu	Motore principale escluso	Motor principal excluido	kg	3.322	lb	7.322
Main motor included	Moteur principal inclu	Motore principale incluso	Motor principal incluido	kg	4.202	lb	9.261



CLM
520
180HP

A CONSOLIDATED SUCCESS.

Designed in the early 1990's, this model has been quite successful thanks to its quality/price ratio. It is an excellent machine for the production of chicken feed. This model is part of the series "520" units and uses interchangeable series 520 spare parts.

It can be fit with a narrow die, Lamec 520.138 (for working extremely fibrous feed), or a wide die, Lamec 520.170 (for working cereal-rich feed).

Capacity: 8,0 - 10 t/h

Overall dimension: 1945 x 2605 x 2100 mm



ANIMAL FEEDS

la meccanica
Technology & Creativity at your Service



LA MECCANICA SRL DI REFFO

administration and production: via nicolini, 1
loc. faccia - 35013 cittadella - pd - italy
tel: +39 049 9419000 - fax: +39 049 5972171
lameccanica@lameccanica.it



www.lameccanica.it

Silokonsult
PROCESSTEKNIK SWEDEN AB

Kämpagatan 1
SE-532 36 Skara
+46 511 10365
info@silokonsult.se
www.silokonsult.se